



(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom  
PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014340  
Sample Identification: LC-3-8

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	1.00	MPN/100mL		SM 9223B	6/ 4/18

Laura Mrachek

Signature President

Approved By Name:

Function:

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.



(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom  
PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014341  
Sample Identification: A-8-2

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	1.00	MPN/100mL		SM 9223B	6/ 4/18

Approved By Name:

Function:

Laura Mrachek  
Signature  
President

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.





(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom  
PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014342  
Sample Identification: A-3-17

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	9.70	MPN/100mL		SM 9223B	6/ 4/18

Approved By Name:

Signature: **Laura Mrachek**  
President

Function:

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.



(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom

PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014343  
Sample Identification: B-4-12

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	14.50	MPN/100mL		SM 9223B	6/ 4/18

Approved By Name:

Function:

Signature: **Laura Mrachek**  
President

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.





(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom  
PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014344

Sample Identification: **C-2-8**

Date Received: 6/ 4/18

Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	5.20	MPN/100mL		SM 9223B	6/ 4/18

Approved By Name:

Function:

**Laura Mrachek**  
Signature:  
President

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.



(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom  
PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014345  
Sample Identification: D-3-6

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	3.10	MPN/100mL		SM 9223B	6/ 4/18

Approved By Name:

Function:

Signature: **Laura Mrachek**  
President

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.





(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom  
PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014346  
Sample Identification: E-2-3

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	< 1	MPN/100mL		SM 9223B	6/ 4/18

Approved By Name:

Function:

Laura Mrachek  
Signature: President

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.



(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation  
Account: 01034  
Sampler: Jim Wisdom  
PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014347  
Sample Identification: F-4

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	2.00	MPN/100mL		SM 9223B	6/ 4/18

Laura Mrachek

Signature President

Approved By Name:

Function:

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.





(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom

PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014348  
Sample Identification: G-1-4

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	1.00	MPN/100mL		SM 9223B	6/ 4/18

Laura Mrachek

President  
Signature:

Approved By Name:

Function:

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.



(509) 662-1888  
Fax: (509) 662-8183  
3019 G. S. Center Road  
Wenatchee, WA 98801

(509) 452-7707  
Fax: (509) 452-7773  
1008 W. Ahtanum Rd.  
Union Gap, WA 98903

Batch: 874620  
Client: Lake Chelan Reclamation

Account: 01034  
Sampler: Jim Wisdom

PO Number:

- HACCP/Food Safety Analytical Report -

Report Date: 6/ 5/18

Lake Chelan Reclamation Dist  
Dave Walters  
PO Box J  
Manson, WA 98831

Laboratory Number: 18-H014349  
Sample Identification: H-3

Date Received: 6/ 4/18  
Date Sampled: 6/ 4/18

Test Requested	Results	Units	RL	Method	Date Analyzed
E.Coli MPN Quanti-Tray NP	3.10	MPN/100mL		SM 9223B	6/ 4/18

Approved By Name:

Function:

Laura Mrachek  
President  
Signature:

Cascade Analytical uses procedures established by EPA, AOAC, APHA, ASTM, and FDA/BAM. Cascade Analytical makes no warranty of any kind the client assumes all risk and liability from the use of these results. Cascade Analytical, Inc.'s liability to the client as a result of use of Cascade's test results shall be limited to a sum equal to the fees paid by the client to Cascade Analytical, Inc. for analysis. PLEASE REVIEW YOUR DATA IN A TIMELY MANNER. DATA GAPS OR ERRORS AFTER THREE MONTHS WILL NOT BE OUR RESPONSIBILITY. THOUGH WE DO KEEP ALL ANALYTICAL DATA FOR SEVERAL YEARS, SAMPLES ARE DISPOSED OF AFTER SIX WEEKS.