

**ANATEK LABS**

Analytical Results Report For:

**Lake Chelan Reclamation Dist.**

Project:

**Global Gap**

Anatek Work Order:

**AGF0275**

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

**Client:** Lake Chelan Reclamation Dist.  
**Address:** PO Box J  
Manson, WA 98831  
**Attn:** Dave Walters

**Work Order:** AGF0275  
**Project:** Global Gap  
**Reported:** 6/11/2026 17:07

## Analytical Results Report

**Sample Location:** Lake Chelan Sample  
**Lab/Sample Number:** AGF0275-01      **Collect Date:** 06/10/26 10:05  
**Date Received:** 06/10/26 13:38      **Collected By:** Chad Gosvener  
**Matrix:** Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	65.0	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: LC-3-8  
Lab/Sample Number: AGF0275-02 Collect Date: 06/10/26 08:30  
Date Received: 06/10/26 13:38 Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	22.6	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: A-8-2  
Lab/Sample Number: AGF0275-03      Collect Date: 06/10/26 08:35  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	15.8	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: A-3-17  
Lab/Sample Number: AGF0275-04      Collect Date: 06/10/26 10:50  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	41.0	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: B-4-12  
Lab/Sample Number: AGF0275-05      Collect Date: 06/10/26 10:25  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	35.0	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: C-2-8  
Lab/Sample Number: AGF0275-06      Collect Date: 06/10/26 10:20  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	10.9	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: D-3-6  
Lab/Sample Number: AGF0275-07      Collect Date: 06/10/26 11:05  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	38.4	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: E-2-3  
Lab/Sample Number: AGF0275-08      Collect Date: 06/10/26 11:25  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	25.9	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: F-4  
Lab/Sample Number: AGF0275-09      Collect Date: 06/10/26 09:50  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	17.3	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: G-1-1  
Lab/Sample Number: AGF0275-10      Collect Date: 06/10/26 09:30  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	35.0	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Sample Location: H-3  
Lab/Sample Number: AGF0275-11      Collect Date: 06/10/26 09:00  
Date Received: 06/10/26 13:38      Collected By: Chad Gosvener  
Matrix: Water


Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
<b>Microbiology</b>							
E. coli	9.6	MPN/100mL	1.0	6/11/26 9:13	KAB	SM 9223 B	

# Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

---

Authorized Signature,



Emily Wengrowski for Kathleen Sattler, Lab Manager

PQL            Practical Quantitation Limit  
ND            Not Detected  
MCL           EPA's Maximum Contaminant Level  
Dry            Sample results reported on a dry weight basis  
\*              Not a state-certified analyte

This report shall not be reproduced except in full, without the written approval of the laboratory  
The results reported related only to the samples indicated.

# *Anatek Labs, Inc.*

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com  
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

---

## **Certifications**

<b>Code</b>	<b>Description</b>	<b>Facility</b>	<b>Number</b>
A WA DOE	Washington Department of Ecology	Anatek-Wenatchee, WA	C1110

**Spokane**  
 504 E Sprague, Ste D  
 Spokane, WA 99202  
 509-838-3999  
[www.anateklabs.com](http://www.anateklabs.com)

**Moscow**  
 1282 Alturas Drive  
 Moscow, ID 83843  
 208-883-2839



**Yakima**  
 4802 Tieton Drive  
 Yakima, WA 98908  
 509-225-9404

**Wenat**  
 3019 GS  
 Wenatchi  
 509-701

AGF0275



Due: 06/24/26

## Chain of Custody – Global Gap/Irrigation Water

ORCHARD	Lake Chelan Reclamation District
CLIENT NAME	Jennifer Collins
CLIENT ADDRESS	80 Wapato Way, Manson, WA 98831
REPORT EMAIL	Jcollins@lcrd.org

BILLING CLIENT	Lake Chelan Reclamation District
BILLING ADDRESS	PO BOX J, Manson WA 98831
BILLING EMAIL	Mlbrooks@lcrd.org
SAMPLER	Chad Gosvener

\*These samples will not be reported to any state agency.

Location Sample Taken	Date/Time	E. coli QT	Potable
1 Lake Chelan Sample	6-10, 10:05	X	<input type="checkbox"/>
2 LC-3-8	6-10, 8:30	X	<input type="checkbox"/>
3 A-8-2	6-10, 8:35	X	<input type="checkbox"/>
4 A-3-17	6-10, 10:50	<input type="checkbox"/>	<input type="checkbox"/>
5 B-4-12	6-10, 10:25	X	<input type="checkbox"/>
6 C-2-8	6-10, 10:20	X	<input type="checkbox"/>
7 D-3-6	6-10, 11:05	X	<input type="checkbox"/>
8 E-2-3	6-10, 11:25	X	<input type="checkbox"/>
9 F-4	6-10, 9:50	X	<input type="checkbox"/>
10 G-1-1	6-10, 9:30	X	<input type="checkbox"/>

Location Sample Taken	Date/Time	E. coli QT	Potable
11 H-3	6-10, 9:00	X	<input type="checkbox"/>
12		<input type="checkbox"/>	<input type="checkbox"/>
13		<input type="checkbox"/>	<input type="checkbox"/>
14		<input type="checkbox"/>	<input type="checkbox"/>
15		<input type="checkbox"/>	<input type="checkbox"/>
16		<input type="checkbox"/>	<input type="checkbox"/>
17		<input type="checkbox"/>	<input type="checkbox"/>
18		<input type="checkbox"/>	<input type="checkbox"/>
19		<input type="checkbox"/>	<input type="checkbox"/>
20		<input type="checkbox"/>	<input type="checkbox"/>

HW005V  
BZ005V

Customer Signature:

*[Signature]*  
6-10-26

Shipping/Delivery Date:

Received By:

Kami Baker  
6/10/26 13:38  
125/11.7 DIG-15

Date/Time Received:

Temperature/Thermo ID:

BZ005V / HW005V

Samples submitted to Anatek Labs may be subcontracted to other accredited labs if necessary. This message serves as notice of this possibility. Subcontracted analyses will be clearly noted on the analytical report.